

For further inquiries, please contact
Smile Signature

Smile Signature at Ratchada
02 693 6933

Smile Signature at Phahonyothin
02 930 1812

Smile Signature at Siam Square
083 095 0219

Smile Signature at Ratchayothin
080 880 1700

Smile Signature at Srinagarindra
02 721 9102

Smile Signature at Central West Gate
02 194 2733


Smile Signature at Ramintra
02 943 2955

Smile Signature Onnut
02 081 8377

Smile Signature Rangsit
02 958 5600



Post-Operative
Instructions for
Wisdom Tooth
Tooth Extraction



Follow me:

 SmileSignature

 SmileSignature

 SmileSignature

QR CODE



SCAN ME



@smilesignature

www.facebook.com/SmileSignature

www.SmileSignature.com



Post-Operative Instructions for Wisdom Tooth & Tooth Extraction



- Use cold compress for 30 minutes to 1 hour right after surgery (for wisdom tooth and surgical tooth removal only)
- Bite the gauze firmly for a full hour to stop bleeding. If severe bleeding persists, change to a new gauze and continue biting firmly for another 30 minutes to 1 hour change gauze every 1 hour or until bleeding stops.
- If bleeding still persists, please contact the clinic for a follow-up appointment
- Do not brush your teeth, Do not rinse or use mouthwash for 24 hours after surgery.
- After 24 hours, you can brush your teeth as normal (gentle brushing), but do not brush the wound. You may rinse with normal saline solution or warm salt water (1/2 teaspoonful of salt in a glass of water)
- Take only soft, non-spicy and cold foods, if possible, for 2-3 days.
- Avoid smoking and alcohol intake.

- You may continue your regular daily activities, avoiding excessive exertion of any type, such as golf, tennis, swimming or sunbathing.
- Mild pain can be controlled with analgesics (Pain relieve medication) as prescribed.
- Sleeping on thick pillows during night time may help reduce swelling.



- If non dissolvable sutures (stitches) were used, an appointment will be needed to remove the sutures in 7-10 days.
- If dissolvable sutures were used, sutures should dissolve in 2-3 weeks. If the sutures still present, please make appointment for sutures removal.

Urgent signs you should contact or visit the dentist or emergency room immediately are as follows:

- Excessive bleeding occurs.
- Severe pain is present.
- Marked swelling occurs.

